Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 7, June 4, 2009

Crop Report for the period May 26 to June 1, 2009

Seeding for the 2009 crop year is 95 per cent complete, according to Saskatchewan Agriculture's weekly crop report. All regions are reporting above 90 per cent of seeding completed.

Crops that have emerged are behind normal in development stages. Across the province, 63 per cent of fall cereals, 73 per cent of spring cereals, 78 per cent of oilseeds and 67 per cent of the pulse crops are reported behind normal in development.

The majority of crop conditions are being reported as fair to good in all regions of the province. Fall seeded crops are reported to be at least 80 per cent; spring wheat at 86 per cent; durum is rated as 80 per cent; oats at 92 per cent; barley at 88 per cent; triticale at 92 per cent; flax at 87 per cent; canola at 85 per cent; mustard at 81 per cent; sunflowers at 94 per cent; lentils at 75 per cent; field peas at 84 per cent; canary seed at 66 per cent and chickpeas at 92 per cent in fair to good condition.

Topsoil moisture conditions in the west-central and northwest regions are declining. In the west-central region, 41 per cent and 46 per cent of the crop land topsoil moisture conditions are short to very short, respectively. Thirty-seven and 56 per cent of the hay and pasture topsoil moisture conditions in this region are reported as short and very short. Provincially, topsoil moisture conditions on crop land are 59 per cent adequate and 31 per cent short and 10 per cent very short. Provincial hay and pasture topsoil moisture conditions are being reported as 46 per cent adequate, 38 per cent short and 15 per cent very short.

1 Year Ago
Seeding was 97 per cent complete.
Provincially, 44 per cent of the crop land and 31 per cent of the hay and pasture land had adequate topsoil moisture.
Frost was the main cause of crop damage.

Frost did occur in almost all regions of the province last week. The severity of the damage to crops is still being assessed. Other sources of crop damage included flea beetles, gophers and dry conditions. Very little rain was reported last week; however the northeast region received 17 mm in some areas.

Farmers are busy controlling weeds, rolling pulses, scouting fields and taking cattle to pasture.

Seeding Progress in SK	Per cent seeded All Crops
June 1/09	95
5 year avg. (2004-2008)	**87**
June 1/08	97
June 3/07	85
June 4/06	88
May 29/05	85
May 31/04	79

For further information, contact: Grant McLean, PAg, Cropping Management Specialist, Regional Services Branch, Agriculture Knowledge Centre, 1-866-457-2377.
E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Please let us know if you no longer need to receive a printed copy

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA – SASKATCHEWAN
Crop Insurance

Seeding Progress by Crop District		
CD	**June 1/09**	**June 1/08**
1A	95	97
1B	91	96
2A	90	99
2B	97	98
3ASE	94	99
3ASW	94	96
3AN	99	99
3BS	97	98
3BN	98	98
4A	98	97
4B	96	97
5A	86	93
5B	94	95
6A	93	97
6B	91	96
7A	97	98
7B	98	98
8A	97	96
8B	98	99
9AE	96	96
9AW	95	95
9B	94	94
Provincial	**95**	**97**

Saskatchewan Crop Insurance Corporation Report – June 4

Saskatchewan Crop Insurance customers should note the following important dates:
Effective June 10, full yield-loss coverage is applicable to winter wheat and fall rye to be grazed and/or cut for feed.

June 10 is also the final day to finalize claims on over-winter extensions. While the deadline to plant processing and table potatoes is June 10, the deadline to plant seed potatoes is June 15.

The deadline to submit establishment benefit claims and gopher damage claims (excluding greenfeed) is June 20.

Forage acres with the Forage Establishment Benefit Option must be seeded by June 20.Crop Insurance will not accept yield-loss liability for any spring crops seeded after June 20, with full yield-loss coverage beginning the following day on established spring and fall-seeded crops (excluding greenfeed).

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Southeastern Saskatchewan has 94 per cent of the crop in the ground, up from 76 per cent last week. Conditions during the day were seasonal and windy. Temperatures dipped below zero during a couple nights in some areas. In the Weyburn area, the temperature one night fell to -3°C.

SE SK Crop Development – June 1, 2009			
	% Ahead	% Normal	% Behind
Fall Cereals	0	52	47
Spring Cereals	0	35	65
Oilseeds	0	32	67
Pulse Crops	0	39	61

Topsoil moisture conditions for crop land are reported as 78 per cent adequate and 18 per cent short. Hay and pasture land topsoil moisture conditions are 57 per cent adequate and 38 per cent short. Only trace amounts of rain fell in the region.

Most of the crop damage was due to frost and flea beetles. Some areas are reporting that dry conditions are delaying crop development.

Crop reporters noted germination and emergence of crops is uneven in some areas. Crops are emerging slowly.

Farmers are busy controlling weeds, land rolling, moving cattle to pasture.

Southeast SK Crop Conditions- June 1, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	20	4	6	13	0	1	0
% good	37	51	51	52	58	63	15
% fair	34	32	33	25	31	25	27
% poor	4	5	4	2	6	4	57
% very poor	0	0	3	6	4	5	0

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	6	0	0	16	27	0	0
% good	44	36	55	60	47	33	53	50
% fair	34	28	39	40	22	21	26	20
% poor	14	14	3	0	7	5	6	5
% very poor	7	4	2	0	6	12	15	0

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Ninety-seven per cent of the 2009 crop is in the ground. Weather conditions were generally warm and windy and cooling off at night. Very little rain fell in the region. The areas around Hazenmore and Vanguard received 7 mm of rain. There was frost in some areas. The area around Maple Creek had one night with the temperature dipping to -3°C.

SW SK Crop Development – June 1, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	6	47	46
Spring Cereals	0	38	62
Oilseeds	0	27	73
Pulse Crops	0	36	63

Topsoil moisture conditions are declining from last weeks report. Crop land topsoil moisture was reported as 50 per cent adequate, 38 per cent short and 11 per cent very short. Topsoil moisture conditions on hay and pasture land are rated as 51 per cent adequate, 28 per cent short and 21 per cent very short.

Crops are emerging. Frost and dry conditions were the main sources of crop damage. It is too early to tell the extent of the frost damage. Crops are in very much need of moisture. Emergence of crops in some areas is patchy. Pastures and hay crops in some areas are slow to grow and in need of moisture.

Farmers are controlling weeds in crop when weather allows, taking cattle to pasture and controlling gophers. There was a cow moose spotted with twin calves.

Southwest SK Crop Conditions- June 1, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	3	0	2	2	2	2	0
% good	46	32	64	54	64	62	59
% fair	41	54	25	36	30	33	35
% poor	7	7	6	6	2	2	5
% very poor	2	5	0	0	0	0	0

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	0	0	5	1	0	0
% good	62	47	65	0	64	58	38	80
% fair	33	37	25	0	27	32	22	19
% poor	12	10	6	0	2	5	27	0
% very poor	6	4	2	0	0	2	12	0

East-Central Saskatchewan (Crop Districts 5 and 6A)

Farmers have seeded an average of 91 per cent of the crop, up from 67 per cent seeded last week. The days were windy and it was a bit warmer compared to last week. Temperatures dipped below zero for a few nights in some areas. Very little rain was recorded in this region.

EC SK Crop Development – June 1, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	9	90
Spring Cereals	0	11	88
Oilseeds	0	9	90
Pulse Crops	0	35	65

Topsoil moisture conditions for cropland are 78 per cent adequate. Hay and pasture topsoil moisture conditions are 61 per cent adequate and 36 per cent short.

Crops are starting to emerge. Crop damage was mostly due to frost on canola crops. It is too early to assess the extent of the frost damage to crops.

Farmers were busy with in crop weed control and taking cattle to pasture. Dandelions are reported to be a problem this year.

East-Central Crop Conditions- June 1, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	11	1	0	0	0	0
% good	42	41	59	51	64	62	0
% fair	47	32	34	46	27	36	0
% poor	9	14	5	2	7	0	0
% very poor	1	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	0	0	0	2	0	0
% good	61	53	43	0	58	64	68	0
% fair	36	40	39	0	36	33	28	0
% poor	2	5	16	0	4	0	2	0
% very poor	0	0	0	0	0	0	0	0

West-Central Saskatchewan (Crop Districts 6B and 7)

An average of 95 per cent of the 2009 crop has been seeded. Warmer and windy days made up the majority of the week. Some areas received trace amounts of rain. There were a couple of incidences of frost at night where temperatures were -1 and -4°C.

WC SK Crop Development – June 1, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	7	30	62
Spring Cereals	0	21	78
Oilseeds	0	19	80
Pulse Crops	0	35	65

Cropland topsoil moisture conditions for the area are 12 per cent adequate, 41 per cent short and 46 per cent very short. Hay and pasture land is sitting at 6 per cent adequate, 37 per cent short and 56 per cent very short. Topsoil moisture conditions have declined since last week's Crop Report.

Crop damage was mainly due to frost and dry conditions. The extent of the frost damage is not yet known. Some seeding intentions have been altered due to dry conditions. Germination is slow and uneven from lack of moisture. Moisture is very much needed.

Farmers are busy controlling weeds when the weather allows, rolling pulses and scouting fields.

West Central SK Crop Conditions- June 1, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	0	0	0	0	0
% good	4	7	31	11	41	30	38
% fair	34	54	40	30	34	35	24
% poor	58	32	21	40	20	28	30
% very poor	2	4	6	17	3	6	6

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-Pea
% excellent	0	0	0	0	2	0	0	0
% good	25	21	13	0	32	28	4	0
% fair	58	32	36	40	41	38	21	60
% poor	11	23	23	59	21	29	42	40
% very poor	5	22	26	0	2	4	32	0

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

NE SK Crop Development – June 1, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	25	74
Spring Cereals	0	16	83
Oilseeds	0	18	81
Pulse Crops	0	19	80

The northeast has 97 per cent of the crop seeded. The nights were generally cool, with warm, windy days. CD 8A received an average of 7 mm, 8B- 4 mm and 9AE- 10 mm. The areas around Hoey and Nipawin received an average of 14 mm of rain. There are still areas that would appreciate a good rain. There were areas that reported light to fairly heavy frost during a couple nights. Temperatures at times during the nights ranged from 0 to -5°C.

Crops are starting to emerge, however emergence is slow. Some crops are coming patchy. The frost and flea beetles were the cause of crop damage that was reported.

Cropland topsoil moisture conditions are 72 per cent adequate and 27 per cent short. Hay and pasture land topsoil moisture conditions are 36 per cent adequate, 50 per cent short and 16 per cent very short.

Farmers are busy scouting fields, and controlling weeds when weather allows.

North east SK Crop Conditions- June 1, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	7	50	0	9	0
% good	97	77	54	10	55	51	0
% fair	2	19	34	35	40	34	0
% poor	0	3	4	5	4	4	0
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	0	0	7	0	0	0
% good	60	61	45	0	74	52	53	0
% fair	34	29	50	0	17	42	42	0
% poor	5	8	5	0	1	5	5	0
% very poor	0	0	0	0	0	0	0	0

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

NW SK Crop Development – June 1, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	58	41
Spring Cereals	0	41	58
Oilseeds	0	38	61
Pulse Crops	0	39	61

On average, 95 per cent of the crop had been seeded. Warm days and light frost at night was reported. Some areas did receive some rain, while others are still very dry. The moisture that was received was definitely welcomed. Crop District 9AW had an average of 4 mm of rain. CD 9B had an average of 6 mm of moisture. R.M # 588 received 13 to 17mm of rain.

Crop land topsoil moisture conditions are currently 54 per cent adequate and 45 per cent short. The hay and pasture topsoil moisture conditions are 36 per cent adequate, 54 per cent short and nice per cent very short. Frost and dry conditions resulted in some crop damage.

Crops are starting to emerge. Emergence is patchy. Windy conditions have made weed control a challenge. Hay and pasture have very slow growth and are in need of moisture.

Farmers are busy seeding crops for green feed, controlling weeds and gophers.

North west SK Crop Conditions- June 1, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	2	0	4	6	0
% good	35	20	66	0	67	66	0
% fair	65	73	29	0	26	25	0
% poor	0	6	2	0	2	2	0
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	3	0	0	5	0	20	0
% good	98	65	0	0	77	0	80	0
% fair	1	27	0	0	15	0	0	0
% poor	0	3	0	0	2	0	0	0
% very poor	0	0	0	0	0	0	0	0

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters)

for the week ending June 1, 2009

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	81
	2	Mt Pleasant	NIL	43
	3	Enniskillen	NIL	37
	33 A	Moose Cr	N/A	54
	33 B	Moose Cr	N/A	39
	34	Browning	NIL	29
	61	Antler	N/A	46
	64	Brock	NIL	28
	65	Tecumseh	NIL	22
1B	91	Maryfield	3	53
	92	Walpole	NIL	47
	93	Wawken	NIL	51
	94	Hazelwood	N/A	61
	96	Golden West	NIL	35
	121	Moosomin	3	60
	122	Martin	3	60
	123	Silverwood	N/A	45
	124	Kingsley	NIL	41
	125	Chester	3	44
	151 B	Rocanville	1	41
	153	Willowdale	NIL	34
	154	Elcapo	NIL	29
	155	Wolseley	TR	40
2A	36	Cymri	NIL	32
	66	Griffin	N/A	11
	67	Weyburn	NIL	56
	68	Brokenshell	NIL	57
	69	Norton	NIL	98
	96	Fillmore	NIL	49
	97	Wellington	TR	44
	99	Caledonia	NIL	104
2B	126	Montmartre	1	47
	127	Francis	4	65
	129	Bratt's Lake	NIL	54
	131	Baildon	NIL	50
	156 A	Indian Head	3	60
	156 B	Indian Head	TR	51
	157	South Qu'app	N/A	12
	158	Edenwold	N/A	50
	160	Pense	N/A	50
	161	Moose Jaw	1	38
	191 A	Marquis	N/A	35
3ASE	9	Surprise Val	NIL	59
	38 A	Launer	N/A	76
	38 B	Launer	NIL	86
	39 A	The Gap	N/A	74
	39 B	The Gap	NIL	88
3ASW	10	Happy Val	N/A	66
	12	Poplar Val	NIL	99
	40	Bengough	NIL	67
	42	Willow Bunch	N/A	96
	43 A	Old Post	NIL	60
	44	Waverley	NIL	80
	70	Key West	N/A	42
	71 A	Excel	NIL	66
	71 B	Excel	NIL	62
	71 C	Excel	N/A	105
	73 A	Stonehenge	NIL	105
	73 B	Stonehenge	NIL	119
	74	Wood River	NIL	62
3AN	101	Terrell	NIL	71
	102	Lake Johnston	N/A	56
	103	Sutton	NIL	94
	134	Shamrock	NIL	96
	164	Chaplin	N/A	47
	193	Eyebrow	TR	75
	194	Enfield	N/A	40
3BS	17 A	Val Marie	1	124
	17 B	Val Marie	N/A	N/A
	45	Mankota	NIL	81
	75 A	Pinto Cr	7	89
	75 B	Pinto Cr	NIL	61
	76 A	Auvergne	2	52
	76 B	Auvergne	NIL	49
	77	Wise Cr	N/A	83
	78 A	Grassy Cr	NIL	62
	78 B	Grassy Cr	NIL	59
	78 C	Grassy Cr	NIL	53
	105	Glenbain	4	74
	106	Whska Cr	7	45
	107	Lac Pelletier	N/A	6
	108	Bone Cr	NIL	50
3BN	138	Webb	NIL	21
	166	Excelsior	1	34
	167	Sask. Landing	3	29
	168	Riverside	NIL	5
	225	Canaan	TR	10
	226	Victory	NIL	15
	228 A	Lacadena	NIL	26
	228 B	Lacadena	NIL	13
	255	Coteau	N/A	N/A
4A	49 A	White Val	N/A	40
	49 B	White Val	NIL	42
	51	Reno	TR	33
	79	Arlington	N/A	36
	109	Carmichael	N/A	34
	110	Piapot	NIL	66
	111 A	Maple Cr	NIL	40
4B	139	Gull Lk	TR	22
	141	Big Stick	TR	30
	142	Enterprise	NIL	16
	169	Pittville	NIL	11
	231	Happyland	NIL	4
	232	Deer Forks	NIL	16
5A	183	Fertile Belt	NIL	69
	184 A	Grayson	N/A	40
	184 B	Grayson	NIL	45
	185	Mcleod	N/A	40
	186	Abernethy	NIL	48
	211	Churchbridge	TR	67
	213	Saltcoats	1	45
	216 A	Tullymet	1	84
	216 B	Tullymet	NIL	56
	241	Calder	N/A	35
	243	Wallace	NIL	53
	245 A	Garry	TR	77
	245 B	Garry	2	81
	246	Iluna Bon Acc	2	101
	247	Kelliross	N/A	50
	248	Touchwood	N/A	51
5B	271	Cote	1	59
	273	Sliding Hills	N/A	25
	275	Insinger	2	80
	276	Foam Lk	2	59
	277	Emerald	3	51
	304	Buchanan	1	65
	305	Ivermay	N/A	62
	307	Elfros	1	66
	308	Big Quill	N/A	N/A
	333	Clayton	N/A	N/A
	335	Hazel Dell	3	76
	336	Sasman	NIL	59
	337	Lakeview	NIL	54
	338	Lakeside	NIL	47
	366	Kelvington	1	79
	367 B	Ponass Lk	N/A	N/A
6A	190 A	Dufferin	NIL	56
	190 B	Dufferin	NIL	68
	190 C	Dufferin	TR	48
	190 D	Dufferin	N/A	42
	219 A	Longlaketon	NIL	73
	219 B	Longlaketon	NIL	63
	220	McKillop	NIL	68
	221	Sarnia	TR	91
	222	Craik	TR	103
	251	Big Arm	3	50
	252	Arm River	NIL	70
	279 A	Mount Hope	NIL	58
	279 B	Mt Hope	N/A	42
	280	Wreford	NIL	37
	282	Mccraney	TR	28
	309	Prairie Rose	3	56
	312	Morris	2	28
	313	Lost River	N/A	19
	339	Leroy	1	44
	340 A	Wolverine	2	30
	341	Viscount	N/A	15
	343	Blucher	NIL	12
6B	283	Rosedale	NIL	59
	284	Rudy	NIL	37
	285	Fertile Val	TR	35
	286	Milden	N/A	26
	314	Dundurn	NIL	49
	344	Corman Pk	NIL	5
7A	259	Snipe Lk	0	6
	287	St Andrews	NIL	4
	288	Pleasant Val	NIL	9
	292	Milton	NIL	8
	317 A	Marriott	NIL	NIL
	317 B	Marriott	NIL	3
	318 A	Mt. View	NIL	NIL
	318 B	Mt. View	NIL	6
	320	Oakdale	TR	4
	321	Prairiedale	N/A	11
7B	347 A	Biggar	NIL	41
	347 B	Biggar	NIL	6
	350 A	Manposa	NIL	9
	350 B	Manposa	TR	8
	351	Progress	NIL	12
	352	Heart's Hill	NIL	12
	377	Glenside	TR	36
	378 A	Rosemount	NIL	12
	378 B	Rosemount	4	26
	379	Reford	NIL	10
	380	Tramping Lk	NIL	18
	382	Eye Hill	1	32
	409	Buffalo	N/A	N/A
	410	Round Val	NIL	28
	411	Senlac	NIL	6
8A	395	Porcupine	5	102
	397	Barrier Val	3	84
	428	Star City	N/A	45
	456	Arborfield	10	87
	457	Connaught	2	12
	458	Willow Cr	N/A	8
	486	Moose Range	14	41
	487	Nipawin	N/A	17
8B	369	St. Peter	TR	18
	370	Humboldt	TR	33
	371	Bayne	N/A	N/A
	372	Grant	NIL	27
	373	Aberdeen	N/A	N/A
	400	Three Lks	N/A	N/A
	402	Fish Cr	NIL	33
	429 A	Flett's Spr	N/A	14
	429 B	Flett's Spr	4	23
	431	St. Louis	14	38
	450	Kinistino	8	22
9AE	488	Torch River	17	34
	520	Paddockwood	3	19
9AW	406	Mayfield	NIL	25
	435	Redberry	N/A	38
	436	Douglas	N/A	25
	463	Duck Lake	8	43
	464	Leask	N/A	58
	467	Round Hill	N/A	TR
	493	Shellbrook	N/A	45
	494	Canwood	6	50
	496	Spiritwood	3	42
	497	Medstead	3	45
	555	Big River	N/A	15
9B	438	Battle River	TR	24
	440	Hilldale	N/A	11
	442	Manitou Lake	NIL	19
	498 A	Parkdale	N/A	29
	498 B	Parkdale	N/A	24
	499	Mervin	N/A	25
	501 A	Frenchman Butte	TR	28
	501 B	Frenchman Butte	NIL	23
	501 C	Frenchman Butte	3	13
	502	Britannia	NIL	31
	561	Loon Lake	N/A	27
	588 A	Meadow Lake	17	27
	588 B	Meadow Lake	15	28
	588 C	Meadow Lake	13	41
	588 D	Meadow Lake	15	41
	622	Beaver River	N/A	10

* incomplete

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Weekly Rainfall

for the week ending June 1, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 3, 2009

Weekly Rainfall

for the week ending June 1, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200
Kilometers

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 3, 2009

Cumulative Rainfall

From: April 1, 2009
To: June 1, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200
Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 3, 2009

Cropland Topsoil Moisture Conditions

June 2, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 3, 2009

Cumulative Rainfall

From: April 1, 2009
To: June 1, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200
Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 3, 2009

Cropland Topsoil Moisture Conditions

June 2, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 3, 2009

Hay and Pasture Topsoil Moisture Conditions

June 2, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 3, 2009

Hay and Pasture Topsoil Moisture Conditions

June 2, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 3, 2009